

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... NOV 8 1974

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... DEC 6 1974

The applicant s J. M. Glenn & Pat Glenn
....., of Steamboat
....., Nevada
....., hereby make application for permission to appropriate the public
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground
.....
Name of stream, lake or other source.

2. The amount of water applied for is 1.0 cu. second-foot
.....
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Quasi-Municipal
.....
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:
(a) Irrigation (state number of acres to be irrigated).....
(b) Stockwater (state number and kinds of animals to be watered).....
(c) Other use (describe fully under "No. 12. Remarks").....
(d) Power:

(1) Horsepower developed.....
(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: NW¼ NW¼ Sec. 9 - T.17N,
R.20E., M.D.B. & M. at a point from whence the Northwest corner
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
of said Sec. 9 bears N. 56° 48' 13" W., 874 feet distant
it should be stated.

6. Place of use 1.84 Acres in SW¼ SW¼ Sec. 4 and 10.59 Acres in
Describe by legal subdivision, if on unsurveyed land it should be so stated.
NW¼ NW¼ Sec. 9 all in T.17N., R.20E.

7. Use will begin about Jan. 1 and end about Dec. 31, of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) An existing 8" diam & 135 ft.
cased well. 2 H.P. submerzible pump, electrically driven, to
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
proposed 2" diam. distributing lines and proposed 3000 gal.
storage tank, thence by 2" pipelines & gravity to houses.

9. Estimated cost of works.....\$10,000
10. Estimated time required to construct works.....1 yr.
11. Estimated time required to complete the application to beneficial use.....3 yrs.
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
- Eleven dwelling units on individual parcels of land (Valley Hi Estates) Estimated 600 gal per day per unit - Total 2,409,000 gals. per annum.

Applicant s/ J. M. Glenn
s/ Pat Glenn

By.....

Compared.....cv/ga lk/sk

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water granted herein at any and all times.

The total combined duty of water under this permit and Permit 28896 shall not exceed 2.409 million gallons per annum.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.5.....cubic feet per second.....but not to exceed.....2.409 million gallons annually.

- Actual construction work shall begin on or before.....September 12, 1975
- Proof of commencement of work shall be filed before.....October 12, 1975
- Work must be prosecuted with reasonable diligence and be completed on or before.....September 12, 1976
- Proof of completion of work shall be filed before.....October 12, 1976
- Application of water to beneficial use shall be made on or before.....September 12, 1978
- Proof of the application of water to beneficial use shall be filed on or before.....October 12, 1978
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....OCT 27 1975

Completion of work filed.....OCT 27 1975

Proof of beneficial use filed.....OCT 22 1980

Cultural map filed.....

Certificate No. 9674 Issued 11/20/81

Recorded.....Bk.....Page.....

County Recorder

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 12th day of March

A.D. 1975

[Signature]
State Engineer